

4

3

2

1

| ITEM NO. | DESCRIPTION | PART NO. | QTY |
|----------|-------------------------------|---------------|-----|
| 1 | NEMA ADAPTER | 38296-002 | 1 |
| 2 | H25D ADAPTOR INSULATOR | 38297-001 | 1 |
| 3 | COUPLING, INSULATED 3/8 X 5/8 | 39089-001 | 1 |
| 4 | RUBBER PLUG | 32028-001 | 2 |
| 5 | O-RING | 32010-141 | 1 |
| 6 | HEX SOCKET HEAD SCREW | 330CX-10321/2 | 7 |

| ZONE | REV. | REVISION DESCRIPTION | ECN NO. | DATE |
|------|------|----------------------|---------|------|
| | | | | |

D

D

C

C

PLUGS REMOVED FOR COUPLING ACCESS

P/N 11012-004
SHOWN WITH H25D
(SOLD SEPARATELY)

ASSEMBLY PROCESS:
STEP 1: INSERT O-RING INTO GROOVE IN 56C ADAPTER
STEP 2: PLACE ADAPTER INSULATOR ONTO 56C ADAPTER
STEP 3: INSERT H25D ENCODER AND SECURE ADAPTER AND ENCODER FLANGE WITH FOUR #10-32 SCREWS PROVIDED
STEP 4: ALIGN COUPLING AND SECURE TO ENCODER SHAFT
STEP 5: INSTALL ASSEMBLY ONTO MOTOR HOUSING AND SHAFT. SECURE TO MOTOR HOUSING AND THEN TIGHTEN SHAFT CLAMP.
STEP 6: INSTALL RUBBER HOLE PLUGS.

B

B

A

A

| UNCONTROLLED COPY | | BEI SENSORS 1461 LAWRENCE DRIVE THOUSAND OAKS, CA 93120 | |
|----------------------------|--|---|-----------------------------|
| FIRST ISSUE DATE: XX/XX/XX | SENSATA TECHNOLOGIES PROPRIETARY AND CONFIDENTIAL. NEITHER THIS PRINT NOR THE INFORMATION CONTAINED HEREON IS TO BE USED AGAINST THE INTERESTS OF SENSATA TECHNOLOGIES OR AGAINST THE INTERESTS OF ANY OF ITS AFFILIATED COMPANIES OR WHOLLY OWNED SUBSIDIARIES. | TITLE NEMA 56C ADAPTER ASSEMBLY FOR H25D | |
| DRAWN: | | SIZE B | DWG NO. 09914-003 |
| APPROVED: | | REV. . | |
| DATE: XX/XX/XX | INTERPRET DIMENSIONING AND TOLERANCING PER ASME Y14.5-2009. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MILLIMETERS] AND ARE INTENDED AS NOMINAL SEE PRODUCT SPECIFICATIONS FOR MORE DETAILS. | SCALE 1:2 | SOLIDWORKS |
| ECN: | | SHEET 1 OF 1 | |
| DATE: | DO NOT SCALE DRAWING | THIRD ANGLE PROJECTION | |
| MATERIAL: | | | |

4

3

2

1

DEVICE:

PROJECT: